

The latex-lab-mathtools code*

L^AT_EX Project

August 22, 2024

Abstract

Contents

1	Introduction	1
2	The Implementation	1
	2.1 File declaration	1
	2.2 Tagpdf support	1
	2.3 \shortintertext	2
	Index	4

1 Introduction

This file implements adaptations to the mathtools package needed for the tagging project.

2 The Implementation

```
1 <@@=math>
2 < *kernel >
```

2.1 File declaration

```
3 \ProvidesFile{latex-lab-mathtools.ltx}
4 [2024-07-13 v0.1a mathtools adaptations]
```

2.2 Tagpdf support

To make the code independent from tagging being loaded and active we load the tagpdf-base package:

```
5 \RequirePackage{tagpdf-base}
```

*

2.3 \shortintertext

Similar to the `\intertext` command from `amsmath`, `\shortintertext` errors with active tagging as it is processed twice which leads to duplicated structures. The fix is similar but is complicated as `mathtools` defines two version (and an additional `\intertext` version) and package options to switch between the variants.

At first we redefine all the internal commands

```

6 \ExplSyntaxOn
7 \tl_new:N\l__math_mathtools_init_tl
8 \AddToHook{package/mathtools/after}
9 {%
10   \cs_if_eq:NNTF\intertext@ \MT_intertext:
11     {
12       \tl_set:Nn \l__math_mathtools_init_tl {\MT_orig_intertext_false:}
13     }
14     {
15       \tl_set:Nn \l__math_mathtools_init_tl {\MT_orig_intertext_true:}
16     }
17   \cs_if_eq:NNTF\shortintertext@ \MT_shortintertext:n
18     {
19       \tl_put_right:Nn \l__math_mathtools_init_tl
20         {\MT_orig_shortintertext_false:}
21     }
22     {
23       \tl_put_right:Nn \l__math_mathtools_init_tl
24         {\MT_orig_shortintertext_true:}
25     }
26   \def\MT_intertext: {%
27     \def\intertext##1{%
28       \ifmode\else\\\@empty\fi
29       \noalign{%
30         \penalty\postdisplaypenalty\vskip-\belowdisplayskip
31         \vskip-\lineskiplimit % CCS
32         \vskip\normallineskiplimit % CCS
33         \vskip\l_MT_above_intertext_sep
34         \vbox{%

```

Stop tagging when measuring:

```

35     \ifmeasuring@\tag_stop:\fi
36     \normalbaselines
37     \ifdim
38       \ifdim\@totalleftmargin=\z@
39         \linewidth
40       \else
41         -\maxdimen
42       \fi
43     =\columnwidth
44     \else \parshape\@ne \@totalleftmargin \linewidth
45     \fi

```

End the previous mc:

```

46     \tag_mc_end_push:

```

We are already in a par so we change now to Span:

```

47     \tagpdfsetup{para/tag=Span}

```

```

48         \noindent\ignorespaces##1\par
Restart the MC
49         \tag_mc_begin_pop:n{}}%
50         \penalty\predisplaypenalty\vskip\abovedisplayskip%
51         \vskip-\lineskiplimit      % CCS
52         \vskip\normallineskiplimit % CCS
53         \vskip\l_MT_below_intertext_sep
54     }%
55 }%
56 \MH_let:NwN \shortintertext \shortintertext@
57 }

\def\MT_orig_shortintertext:n #1{%
58     \ifvmode\else\\\@empty\fi
59     \noalign{%
60         \penalty\postdisplaypenalty\vskip\abovedisplayshortskip
61         \vbox{%
62             \ifmeasuring@\tag_stop:\fi
63             \normalbaselines
64             \MH_if_dim:w
65             \MH_if_dim:w \@totalleftmargin=\z@
66             \linewidth
67             \MH_else:
68                 -\maxdimen
69             \MH_fi:
70             =\columnwidth
71         \MH_else:
72             \parshape\@ne \@totalleftmargin \linewidth
73         \MH_fi:
74         \tag_mc_end_push:
75         \tagpdfsetup{para/tag=Span}
76         \tagpdfparaOn
77         \noindent\ignorespaces#1\par
78         \tag_mc_begin_pop:n{}}
79     \penalty\predisplaypenalty\vskip\abovedisplayshortskip%
80 }%
81 }
82 }
83
84 \def\MT_shortintertext:n #1{%
85     \ifvmode\else\\\@empty\fi
86     \noalign{%
87         \penalty\postdisplaypenalty\vskip\abovedisplayshortskip
88         \vskip-\lineskiplimit
89         \vskip\normallineskiplimit
90         \vskip\l_MT_above_shortintertext_sep
91         \vbox{%
92             \ifmeasuring@\tag_stop:\fi
93             \normalbaselines
94             \MH_if_dim:w
95             \MH_if_dim:w \@totalleftmargin=\z@
96             \linewidth
97             \MH_else:
98                 -\maxdimen
99             \MH_fi:

```

```

100         =\columnwidth
101     \MH_else:
102         \parshape\@ne \@totalleftmargin \linewidth
103     \MH_fi:
104     \tag_mc_end_push:
105     \tagpdfsetup{para/tag=P}

```

Why is it needed to enable paratagging??

```

106     \tagpdfpara0n
107     \noindent\ignorespaces#1\par
108     \tag_mc_begin_pop:n{}}%
109     \penalty\predisplaypenalty\vskip\abovedisplayshortskip%
110     \vskip-\lineskiplimit
111     \vskip\normallineskiplimit
112     \vskip\l_MT_below_shortintertext_sep
113 }%
114 }
115

```

end hook

```

116 \l_math_mathtools_init_tl
117 }
118 \ExplSyntaxOff
119 </kernel>

```

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

	Symbols	<code>\ExplSyntaxOn</code> 6
<code>\</code>	28, 59, 85	
	A	F
<code>\abovedisplayshortskip</code> . .	61, 80, 87, 109	<code>\fi</code> 28, 35, 42, 45, 59, 63, 85, 92
<code>\abovedisplayskip</code>	50	
<code>\AddToHook</code>	8	I
	B	<code>\ifdim</code> 37, 38
<code>\belowdisplayskip</code>	30	<code>\ifvmode</code> 28, 59, 85
	C	<code>\ignorespaces</code> 48, 78, 107
<code>\columnwidth</code>	43, 71, 100	<code>\intertext</code> 2, 27
cs commands:		L
<code>\cs_if_eq:NNTF</code>	10, 17	<code>\lineskiplimit</code> 31, 51, 88, 110
	D	<code>\linewidth</code> 39, 44, 67, 73, 96, 102
<code>\def</code>	26, 27, 58, 84	
	E	M
<code>\else</code>	28, 40, 44, 59, 85	<code>\maxdimen</code> 41, 69, 98
<code>\ExplSyntaxOff</code>	118	MH commands:
		<code>\MH_else:</code> 68, 72, 97, 101
		<code>\MH_fi:</code> 70, 74, 99, 103
		<code>\MH_if_dim:w</code> 65, 66, 94, 95
		<code>\MH_let:NwN</code> 56

MT commands:		S	
\l_MT_above_intertext_sep	33	\shortintertext	2, 56
\l_MT_above_shortintertext_sep	90		
\l_MT_below_intertext_sep	53	T	
\l_MT_below_shortintertext_sep	112	tag commands:	
\MT_intertext:	10, 26	\tag_mc_begin_pop:n	49, 79, 108
\MT_orig_intertext_false:	12	\tag_mc_end_push:	46, 75, 104
\MT_orig_intertext_true:	15	\tag_stop:	35, 63, 92
\MT_orig_shortintertext:n	58	\tagpdfparaOn	77, 106
\MT_orig_shortintertext_false:	20	\tagpdfsetup	47, 76, 105
\MT_orig_shortintertext_true:	24	TeX and L ^A T _E X 2 _ε commands:	
\MT_shortintertext:n	17, 84	\@empty	28, 59, 85
		\@ne	44, 73, 102
N		\@totalleftmargin	38, 44, 66, 73, 95, 102
\noalign	29, 60, 86	\ifmeasuring@	35, 63, 92
\noindent	48, 78, 107	\intertext@	10
\normalbaselines	36, 64, 93	\shortintertext@	17, 56
\normallineskiplimit	32, 52, 89, 111	\z@	38, 66, 95
		tl commands:	
P		\tl_new:N	7
\par	48, 78, 107	\tl_put_right:Nn	19, 23
\parshape	44, 73, 102	\tl_set:Nn	12, 15
\penalty	30, 50, 61, 80, 87, 109	tl internal commands:	
\postdisplaypenalty	30, 61, 87	\l_math_mathtools_init_tl	
\predisplaypenalty	50, 80, 109	7, 12, 15, 19, 23, 116
\ProvidesFile	3		
		V	
R		\vbox	34, 62, 91
\RequirePackage	5	\vskip	30, 31, 32, 33, 50, 51, 52, 53, 61, 80, 87, 88, 89, 90, 109, 110, 111, 112